EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5584	(726/2,11,13,16,22,23-25,26,27.ccls. | 713/188.ccls. | 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:30
L2	187	(decreas$3 | decrement$3) AND (increas$3 | increment$3) AND threshold AND signature AND (726/2,11,13,16,22,23-25, 26,27.ccls. | 713/188.ccls. | 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:31
L3	187	(decreas$3 | decrement$3) AND (increas$3 | increment$3) AND threshold AND signature$1 AND (726/2,11,13,16,22, 23-25,26,27.ccls. | 713/188.ccls. | 380/59. ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:32
L4	143	("IDS" | intrusion detection) AND (decreas$3 | decrement$3) AND (increas$3 | increment$3) AND threshold AND signature$1 AND (726/2,11,13,16,22, 23-25,26,27.ccls. | 713/188.ccls. | 380/59. ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:40
L5	177	("IDS" | intrusion detection) AND (decreas$3 | decrement$3) AND (increas$3 | increment$3) AND threshold AND (signature$1 | pattern$1) AND (726/2,11, 13,16,22,23-25,26,27.ccls. | 713/188.ccls. | 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:50
L6	543	("IDS" | intrusion detection) AND ((decreas$3 | decrement$3) | (increas$3 | increment$3) NEAR (signature$1 | pattern$1)) AND (726/2,11,13,16,22,23-25, 26,27.ccls. | 713/188.ccls. | 380/59.ccls.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:51

L7	216	("IDS" | intrusion detection) AND threshold AND ((decreas$3 | decrement$3) | (increas$3 | increment$3) NEAR (signature$1 | pattern$1)) AND (726/2,11, 13,16,22,23-25,26,27.ccls. | 713/188.ccls. | 380/59.ccls.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:52
L8	4	("IDS" | intrusion detection) AND threshold AND ((decreas$3 | decrement$3) AND (increas$3 | increment$3) NEAR (signature$1 | pattern$1)) AND (726/2,11, 13,16,22,23-25,26,27.ccls. | 713/188.ccls. | 380/59.ccls.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:52
L9	76	("IDS" | intrusion detection) AND threshold AND ((decreas$3 | decrement$3) AND (increas$3 | increment$3) SAME (signature$1 | pattern$1)) AND (726/2,11, 13,16,22,23-25,26,27.ccls. | 713/188.ccls. | 380/59.ccls.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:52
L10	2	"20030061514".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:54
L11	2	"20050037733".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 10:46
L12	8	(confidence | certainty) value AND ("IDS" | intrusion detection) AND (decreas$3 | decrement$3) AND (increas$3 | increment$3) AND threshold AND (signature$1 | pattern$1) AND (726/2,11, 13,16,22,23-25,26,27.ccls. | 713/188.ccls. | 380/59.ccls.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 14:24
S1	2202	713/176.ccls. AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:24

S2	388	(intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:24
S3	2543	(intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:31
S4	366	determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:24
S5	190	(decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:25
S6	54	data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:27
S7	35	filter AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:26

9/8/2008 3:33:44 PM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10849318_Meth&SysForComputerSecurity_.wsp

Page 3

S8	43	(filter OR screen OR scrutinize OR analyze) AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:26
S9	51	network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:27
S10	51	network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:28
S11	0	trust level AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:29
S12	3	(trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR add$5) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:29

S13	47	(trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:33
S14	574	network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:33
S15	287	(trust NEAR level OR degree) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract$3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:20
S16	663	(measure$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND ("713".clas. OR "726".clas.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:22
S17	386	(measure$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID$1") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd< "20040519" or @ad< "20040519" or @prad< "20040519" or @rlad< "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23

S18	387	(measure$4 OR trust NEAR level OR degree) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23
S19	331	(measure$4) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND ("713".clas. OR "726".clas.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23
S20	18	(measure$4) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND 713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:25
S21	8	(measure$4) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:28
S22	201	(measure$4) AND network AND data AND packet AND (determin$5 OR compar$3) AND (intrusion detection OR "IDS") AND value AND (receiv$3 OR recept$3) AND match$3 AND signature AND database AND log AND "726".clas. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:25
S23	12	(measure$4) AND network AND data AND packet AND (intrusion detection OR "IDS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:29
S24	13	(measure$4) AND network AND (intrusion detection OR "IDS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:55

S25	13	(measure$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/13.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:57
S26	87	(measure$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/23.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:58
S27	2	"6279113".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:44
S28	2	"7032114".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:59
S29	2	"5796942".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:59

9/8/2008 3:33:44 PM
C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10849318_Meth&SysForComputerSecurity_.wsp

Page 7